**PCT** 

REC'D 16 JAN 2001

# **PCT**

### <u>\_\_\_\_\_\_\_</u>

MIPO

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference PCT/99-17	FOR FURTHER ACTION		ication of Transmittal of International Examination Report (Form PCT/IPEA/416)				
International application No.	International filing date (day	/month/year)	Priority date (day/month/year)				
PCT/US00/01434	21 JANUARY 2000		08 FEBRUARY 1999				
International Patent Classification (IPC) IPC(7): F04D 29/38 and US Cl.: 41		IPC					
Applicant MIDWEST RESEARCH INSTITUTE							
Examining Authority and is  2. This REPORT consists of a  This report is also accompleen amended and are the	transmitted to the applicant total of sheets.  panied by ANNEXES, i.e., sleed basis for this report and/or ion 607 of the Administrative	t according to neets of the desc sheets containing	cription, claims and/or drawings which have ag rectifications made before this Authority.				
3. This report contains indication	s relating to the following	items:					
I X Basis of the repor	t						
II Priority							
III Non-establishmen	t of report with regard to	novelty, invent	ive step or industrial applicability				
IV Lack of unity of	invention	-					
V X Reasoned statemen			, inventive step or industrial applicability;				
VI Certain documents	cited						
VIII Certain observation	s on the international applica	auon					
Date of submission of the demand	Da	te of completion	of this report				
31 AUGUST 2000		29 DECEMBE	R 2000				
Name and mailing address of the IPEA/		horized officer	, ,				
Commissioner of Patents and Tradem Box PCT Washington, D.C. 20231	arks	CHRISTOPHE	R VERDIER				
Facsimile No. (703) 305-3230	Tel	ephone No. (	703) 308-0861				



INTERNATIONAL PRELIMINARY EXAMINATION REPORT



#### PCT/US00/01434

1. 1	Basis of	the report	<u> </u>	
1. <b>W</b> i	th regard	to the elements of the interna	ational application:*	
x	<b>-</b>	iternational application as		
=	<u>.</u>	escription:	•	
x	Dages	1-10		as originally filed
	nage.	NONE		, filed with the demand
	nages		, filed with the letter of	
	Page		,	*
x	the c	laims:		
	_	11-14		, as originally filed
	pages	NONE	, as amended (together with any	•
	pages	NONE NONE		, filed with the demand
	pages	NONE NONE	, filed with the letter of	
	_			
X	the d	rawings:		
	pages	3		, as originally filed
		NONE		, filed with the demand
	pages	NONE	, filed with the letter of	<del></del>
_	<b>.</b>			
X		equence listing part of the		
		NONE		, as originally filed
		NONE		
	pages	NONE	, filed with the letter of	
	the la	nguage of publication of	the international application (under Rule 48.3(b)) mished for the purposes of international preliminary examples.	).
		rd to any <b>nucleotide and/o</b>	r amino acid sequence disclosed in the internations dout on the basis of the sequence listing:	al application, the international
	contai	ined in the international a	application in printed form.	
	filed	together with the internati	ional application in computer readable form.	
	furnis	hed subsequently to this	Authority in written form.	
一	furnis	hed subsequently to this	Authority in computer readable form.	
Ē	The st	tatement that the subsequer ational application as filed	ntly furnished written sequence listing does not go b	beyond the disclosure in the
	The st	• •	recorded in computer readable form is identical to th	e writen sequence listing has
4. X	The a	mendments have resulted	l in the cancellation of:	
7	$\mathbf{x}$	the description, pages	NONE	
	Γxī		NONE	
		the claims, Nos.	<del></del>	
	ᆨᅜᆀ	the drawings, sheets/fig	NONE	
5.		=	some of) the amendments had not been made, since the	ey have been considered to go
in	placemen	nt sheets which have been furn ort as "originally filed" and	indicated in the Supplemental Box (Rule 70.2(c)).** sished to the receiving Office in response to an invitation are not annexed to this report since they do not con	under Article 14 are referred to tain amendments (Rules 70.16
	•		h amendments must be referred to under item 1 and o	annexed to this report.



#### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/01434

statement			
Novelty (N)	Claims	1-10	YE
	Claims	NONE	NC
Inventive Step (IS)	Claims	1-10	YE
• , ,	Claims	NONE	NO
Industrial Applicability (IA)	Claims	1-10	YE
	Claims	NONE	NC
citations and explanations (Rule	70.7)		.,
of airfoils for a blade having a root region	and a tip region	<ol> <li>b), because the prior art does not teach or fairly sug, with an airfoil in the root region of the blade having on of the blade having a Reynold's number of 1,000</li> </ol>	ng a
Claims 5-6 meet the criteria set out in PCT	A +iola 33(2)-(4	). Language the major and door mot touch on fainty and	
	s sectional shap	e having a thickness of about 14 percent chord and	
for a blade having a root region with a cros- lift coefficient of about 1.5, and a Reynold' Claim 7 meets the criteria set out in PCT A having a root region with an upper surface	s sectional shaps number of 50 rticle 33(2)-(4), and a lower sur values being di	e having a thickness of about 14 percent chord and	a maximum est an airfoil imensionless
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold'  Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim  Claims 8-9 meet the criteria set out in PCT	s sectional shaps number of 50 rticle 33(2)-(4), and a lower sur values being din 7.  Article 33(2)-(4 ss sectional shaps	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggeface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the chord	a maximum est an airfoil imensionless n the upper
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold' Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim Claims 8-9 meet the criteria set out in PCT for a blade having a tip region having a croslift coefficient of about 1.5 and a Reynold's Claim 10 meets the criteria set out in PCT having a tip region with an upper surface as	s sectional shaps number of 50 rticle 33(2)-(4), and a lower survalues being din 7.  Article 33(2)-(4 ss sectional shape number of 1,0 Article 33(2)-(4) and a lower surfavalues being divided a lower surfavalues being di	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggeface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the chord	a maximum est an airfoil imensionless n the upper egest an airfoil d a maximum egest an airfoinensionless
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold'  Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim Claims 8-9 meet the criteria set out in PCT for a blade having a tip region having a croslift coefficient of about 1.5 and a Reynold's Claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim	s sectional shaps number of 50 rticle 33(2)-(4), and a lower survalues being din 7.  Article 33(2)-(4 ss sectional shape number of 1,0 Article 33(2)-(4) and a lower surfavalues being din 10.	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggesface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the prior art does not teach or fairly suggest having a thickness of about 10 percent chord and 00,000.  because the prior art does not teach or fairly suggest the prior art does not teach or fairly suggest and a blade chord line with x/c values being dimensionless.	a maximum est an airfoil imensionless n the upper egest an airfoil d a maximum egest an airfoinensionless
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold' Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim Claims 8-9 meet the criteria set out in PCT for a blade having a tip region having a croslift coefficient of about 1.5 and a Reynold's Claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim	s sectional shaps number of 50 rticle 33(2)-(4), and a lower survalues being din 7.  Article 33(2)-(4 ss sectional shape number of 1,0 Article 33(2)-(4) and a lower surfavalues being din 10.	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggesface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the prior art does not teach or fairly suggest having a thickness of about 10 percent chord and 00,000.  because the prior art does not teach or fairly suggest the prior art does not teach or fairly suggest and a blade chord line with x/c values being dimensionless.	a maximum est an airfoil imensionless n the upper egest an airfoil d a maximum egest an airfoinensionless
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold'  Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim Claims 8-9 meet the criteria set out in PCT for a blade having a tip region having a croslift coefficient of about 1.5 and a Reynold's Claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim	s sectional shaps number of 50 rticle 33(2)-(4), and a lower survalues being din 7.  Article 33(2)-(4 ss sectional shape number of 1,0 Article 33(2)-(4) and a lower surfavalues being din 10.	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggesface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the prior art does not teach or fairly suggest having a thickness of about 10 percent chord and 00,000.  because the prior art does not teach or fairly suggest the prior art does not teach or fairly suggest and a blade chord line with x/c values being dimensionless.	a maximum est an airfoil imensionless n the upper egest an airfoil d a maximum egest an airfoinensionless
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold'  Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim Claims 8-9 meet the criteria set out in PCT for a blade having a tip region having a croslift coefficient of about 1.5 and a Reynold's Claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim	s sectional shaps number of 50 rticle 33(2)-(4), and a lower survalues being din 7.  Article 33(2)-(4 ss sectional shape number of 1,0 Article 33(2)-(4) and a lower surfavalues being din 10.	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggesface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the prior art does not teach or fairly suggest having a thickness of about 10 percent chord and 00,000.  because the prior art does not teach or fairly suggest the prior art does not teach or fairly suggest and a blade chord line with x/c values being dimensionless.	a maximum est an airfoil imensionless n the upper egest an airfo d a maximum egest an airfo mensionless
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold'  Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim Claims 8-9 meet the criteria set out in PCT for a blade having a tip region having a croslift coefficient of about 1.5 and a Reynold's Claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim	s sectional shaps number of 50 rticle 33(2)-(4), and a lower survalues being din 7.  Article 33(2)-(4 ss sectional shape number of 1,0 Article 33(2)-(4) and a lower surfavalues being din 10.	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggesface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the prior art does not teach or fairly suggest having a thickness of about 10 percent chord and 00,000.  because the prior art does not teach or fairly suggest the prior art does not teach or fairly suggest and a blade chord line with x/c values being dimensionless.	a maximum est an airfoil imensionless n the upper egest an airfo d a maximum egest an airfo nensionless
for a blade having a root region with a cross lift coefficient of about 1.5, and a Reynold'  Claim 7 meets the criteria set out in PCT A having a root region with an upper surface locations along the blade chord line and y/c surface or lower surface as set forth in claim Claims 8-9 meet the criteria set out in PCT for a blade having a tip region having a croslift coefficient of about 1.5 and a Reynold's Claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim 10 meets the criteria set out in PCT having a tip region with an upper surface as locations along the blade chord line and y/c surface or lower surface as set forth in claim	s sectional shaps number of 50 rticle 33(2)-(4), and a lower survalues being din 7.  Article 33(2)-(4 ss sectional shape number of 1,0 Article 33(2)-(4) and a lower surfavalues being din 10.	e having a thickness of about 14 percent chord and 0,000.  because the prior art does not teach or fairly suggesface and a blade chord line with x/c values being dimensionless heights from the chord line to points on the prior art does not teach or fairly suggest having a thickness of about 10 percent chord and 00,000.  because the prior art does not teach or fairly suggest the prior art does not teach or fairly suggest and a blade chord line with x/c values being dimensionless.	a maximum est an airfoil imensionless n the upper egest an airfo d a maximum egest an airfo nensionless